

## प्रसाचारण

## EXTRAORDINARY

ми II нов 3-симов (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

### PUBLISHED BY AUTHORITY

सं० 313] No. 313] नई विल्ली, शनिवार, भक्तुबर 1, 1966/माध्विन 9, 1888

NEW DELHI, SATURDAY, OCTOBER 1, 1966/ASVINA 9, 1888

इस भाग में भिन्न पूछ संख्या वी जाती है जिससे कि यह घलग संकलन के रूप में रखा जा सके । Separate paging is given to this Part in order that it may be filed as a separate compilation.

#### MINISTRY OF MINES & METALS

#### NOTIFICATIONS

New Delhi, the 1st October 1966

S.O. 2939.—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955) and in supersession of the notification of the Government of India in the Ministry of Mines and Metals, No. S.O. 1202, dated the 16th April, 1966, the Central Government hereby fixes the following prices at which coal or coke may be sold by colliery owners:—

TABLE I.—COLLIERIES SITUATED WITHIN THE STATES OF WEST BENGAL AND BIHAR

Table I (a).—Non-Coking Coal of Selected Grade A, Selected Grade B' and Grade I

						Price per tonne (1,000 kilograms)						
Grade of co	Grade of coal					Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts					
						Rs. Paise	Rs. Paise					
Selected Grade A  Selected Grade B		:				29,07 27,58	30.11 28.64					
Grade I	•		·	•	•	25.25	26.28					

							Price per tonne	(1,000 kilograms)
	Gra	de of	coal				Run-of-mine, Dust coal and Slack coal	Steam coal, Rubbl and Smithy nuts
	<del></del>					• • • • •	Rs, Paise	Rs. Paise
Grade II							Not exceeding 23 .76	Not exceeding 24.81
Grade III A		•					Not exceeding 22 28	Not exceeding 23.
Grade III B							Not exceeding 21, 11	Not exceeding 22.11
							coal and Slack coal	and Smithy nuts
							Rs. Paise	Rs. Paise
_			•	•	•	•	30.92 29.93	31.94 30.96
A	•				•			10.90
B C	:	·	:				28.96	
B C	:	:	:		:	:	28.96 27. <b>47</b>	29.98
B C D E	:	:	:	:	:	:	27.47 26.97	29.98 28.50 28.01
B		:	:	•	:	:	27.47 26.97 26.24	29.98 28.50 28.01 27.27
B C D E	:			:	:	:	27.47 26.97	29.98 28.50 28.01

- (ii) in the case of any of the grades of coking coal F, G and H, a sum of Rs. 0.75 Paise per tonne;

Provided that any dispute in regard to the application of that procedure or the results of such sampling and analysis shall be referred to the Coal Controller whose decision thereon shall be final and binding on the colliery owner and the consumer,

TABLE I (D).—COKING COAL OF GRADE HH

							Price per tonne	(1,000 kilograms)
	•	Brade	of cos	1			Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts
					 		Rs. Paise	Rs. Paíse
нн		•				• "	Not exceeding 23.78	Not exceeding 24.81
 					 71 m		· · · · · · · · · · · · · · · · · · ·	

Rs. Paise 34.85

NOTE I :- For the purposes of the Tables I (a) to I (d), the grade of any coal shall be determined as follows :--I. Non-coking coal: (a) High moisture coals-If the ash and moisture content thereof :-(i) do not exceed 17.5 per cent Selected Grade A. (ii) exceed 17.5 per cent but does not exceed 19 per cent Selected Grade B. (iii) exceed 19 per cent but does not exceed 24 per cent Grade I (iv) exceed 24 per cent but does not exceed 28 per cent Grade II All analysis of high moisture coals will be carried out on-72 mesh samples after equilibrating under the conditions given below for 48 hours :--40°C ±2°C Atmospheric temperature Relative humidity . 60 per cent ±2 prr cent (b) Low moisture coals— If the ash content thereof :-(i) does not exceed 15 per cent Selected Grade A (ii) exceeds 15 per cent but does not exceed 17 per cent Selected Grade B (iii) exceeds 17 per cent but does not exceed 20 per cent Grade I (iv) exceeds 20 per cent but does not exceed 24 per cent Grade II (v) excreds 24 per cent but does not exceed 28 per cent Grade IIIA (vi) exceeds 28 per cent but does not exceed 35 per cent Grade IIIB II. Coking Coal: If the ash content thereof :--(i) does not exceed 13 per cent . Grade A (ii) exceeds 13 per cent but does not exceed 14 per cent Grade B (iii) exceeds 14 per cent but does not exceed 15 per cent Grade C (iv) exceeds 15 per cent but does not exceed 16 per cent Grade D (v) exceeds 16 per cent but does not exceed 17 per cent . Grade E (vi) exceeds 17 per cent but does not exceed 18 per cent. Grade F (vii) exceeds 18 per cent but does not exceed 19 per cent Grade G (vili) exceeds 19 per cent but does not exceed 20 per cent Grade H (ix) exceeds 20 per cent but does not exceed 24 per cent Grade HH NOTE 2.—'The expressions 'Low moisture coats' and 'High moisture coals' mean respectively coals containing moisture not esceeding 2 per cent, and coals containing more than 2 per cent moisture. NOTE 3.—The expression 'coking coal' means all coal which is classified as such by the Coal Board, constituted under the Coal Mines (Conservation and Safety) Act, 1952 (12 of 1952). Note 4.—The price at which all coal produced in the Bagrakote, East Bagrakote, Lethi Valley and Fagu collicries may be sold shall be Rs. 34-67 per tonne (1,000 kilograms). This price shall be free on rail Bagrakote in the case of the Bagrakote and East Bagrakote collieries, free on raill Oodlabari, and Damdim, North East Frontier Railway, in the case of the Lethi Valley Colliery and free on rail Oodlabari, North East Frontier Railway, in the case of the Fagu Colliery. TABLE I(E).—SOFT COKE Grade of coke Price per tonne (1,000 kilograms).

Note.—The prices given under Tables I(a), I(b), I(c), I(d) & I(e) are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

Soft Coke—Not exceeding 45 per cent ash content

# TABLE II.—COLLIERIES SITUATED WITHIN THE STATES OF GUJARAT, MADHYA PRADESH, MAHARASHTRA AND ORISSA

Grade of o	eoal						Price per tonne gram	
						•	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts
		· · · - ·	 -, -				Rs. Paise	Rs. Paise
elected Grade							29 43	30.41
∂rade I.							27:21	28 · 18
Grade II .							26.09	27.09
Grade III							25'12	26·11

NOTE 1.—For the purposes of Table II, the grade of any coal shall be determined as follows:—

If the ash and moisture content thereof :-

- (i) do not exceed 19 per cent . . . . . . . . . . . . Selected Grade
- (ii) exceed 19 per cent but does not exceed 24 per cent . . . Grade I
- (iii) exceed 24 per cent but does not exceed 28per cent . . Grade II
- (iv) exceed 28 per cent but does not exceed 35 per cent . . Grade III

All analysis of high moisture coals will be carried out on—72 mesh samples after equilibrating under the conditions given below for 44 hours :—

Note 2.—The prices given under Table II above are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or goad vehicle at the colliery.

TABLE III.—COLLIERIES SITUATED WITHIN THE STATE OF ASSAM

Name of colli <del>ery</del>						Type of coal	Price per tonne (1,000 kilo- grams)
			•				Rs. Paise
Margherita collieries of the Assam Ra Company.	ilwa	ys and	1	rading	{	Run-of-mine Du <sup>o</sup> t coal Hand picked coal	36·55 36·55 42·95
Nazira Coal Company Ltd., Borgan						Run-of-mine	27.72
Dilli Colliery of Dilli Colliery Compa	ny					Run of-mine	27.72
Jeypore Colliery						Run-of-mine	27.72
Kollajan Collicry						Run-of-mine	27.99
Birnalapore Colliery						Run-of-mine	27.72
Sheelvata Colliery	,					Run-of-mine	27.99

Note 1.—The prices given under Table III are for delivery free on rail at the colliery in the case of the Margherita collieries of the Assam Railways and Trading Company Limited and for delivery free on road vehicle at the colliery in the case of the other collieries.

Nazita Coal Company Limited, Borgan . . . A sum of Rs. 6.79 per ton (1,000 kilograms).

Note 2.—In the cast of sales on free on rail basis by the Nazira Coal Company Limited and the Dilli, Sheelvata, Bimalapore, Jeypore and Koilajan collicries mentioned in Table III above, the free on rail prices shall be determined by adding to the prices mentioned against each in Table III above, the following amounts namely:—

	===			===			===						===
Dilli Colliery of Colliery Co., St Colliery, Birnald Colliery of Birn	ieelvat apore alapor	a						. (	3: / kil / o	Pais ogran the c	lculated a se per t ns) per distance	onn <del>e</del> Kilo, betwee	(1,000 metre in the
Collicries (Prive		Call:			•			٠,	( p	it-head	d and th	e rail-	nead.
Limited and Je	-	Collic	.гу	•	•	•	•	. (	۰ ۸		iculated	ot the	not a
Koilajan Collie		•		٠	·		•	•	of kilog the head	p6 Paigrams) distant and t	ise per to ) per F ce hetwe the rail-f	onne Cilome en th lead.	(1,000 tre of e pit-
TABLE IVC			S	STATES	INT	HE STA	TE OF	Assa	LM,			KHAS	8 <b>1</b>
(I) Laitrygew n	nine of	Cherr	ra Ch	artak	Roper	way Co	mpan	y <b>a</b> na	Thang	jinath	mine.		
Name of collie	ry								Туре	of co	al	†c (1,	e per onne ooo rams)
												Rs.	Paise
Laitryngew mine Thangjinath mine	:	· -				· ·	· ·		{ Rur	-of-m -of-m np coa	nine coal nine coal al		19·38 16·43 19·66
				(2)	Any	other c	olliery	,					
Type of coal												to (I	ce per nne ,000 rams)
												Re.	Paise
Coke	•		•			•	•	•	•	•			36.72
Lump coal	•	•	•		•	•		٠		•			19.66
Run-of-mine coal	· ———	· 					· 						14 · 49
NorsThe p	rices s	ziven	unde	r Tab	le IV	are ex	nit-he	ad					
TABLE V.—C		•					•		DHRA Ì	DRADE!	211		
						eries (E				N IDE	-11.		
Type of coal												(I,	ce per onne ooo (rams)
							•					Rs.	Paise
Round coal	٠												32.56
Separator Nut coal	i 1"2	2″	-(25	4 mill	ımetr	<b>cs</b> 50	·8 mi	llime	tre9)				32.56
Nick coal 18 -84	2 7 m	illime				metres	)						31.0
Nut coal 🖁 —ı' (ı													
Nut coal <b>1″</b> —1″ (1 Run-of⊦mine coal	•	•		•	•	-	•	•	•	•			35.0.
Nut coal #"—1" (1 Run-of mine coal No. 2 coal					-								-
Nut coal 1"-1" (I Run-of mine coal No. 2 coal . Rough Slack o" -2 Slack coal o"-1" (	2" (o n	niılin	netre.	50·8	mill:				•		· ·	· ·	32.07 31.58 31.50

#### (2) Yellendu Colliery

Type of coal						ice per tomne (1,000 lograma)
					F	ks. Paise
Round coal Separator Nut coal						31.58
Nut coal ½"-1" (12.7 millimetres-25.4 millimetres)		•	•	•	•	30.10
Run-of-mine coal N5. 2 coal		1	•	•	•	31·09 30·61
Rough Slack 0"—2" (o millimetre—50 8 millimetres) Slack coal 0"—\frac{1}{2}" (o millimetre—12 7 millimetres) and	• •		•	•	•	30.61
0"—1" (o millimetre—25.4 millimetres)						28.64

NOTE.—The prices given under Table V are for delivery free on rail at or at the loading point nearest to the colliery or free on tramway or road vehicle at the colliery.

#### "lanation :-(i) The prices given in Tables I to V :-

- (a) are exclusive of Stowing Excise Duty, Rescue Station Excise Duty, Soft Coke Cesa Excise Duty, Labour Welfare Cesa Excise Duty, any tax leviable under the Sales Tax law of any State or under the Central Sales Tax Act, 1956 (74 of 1956) and any other additional Excise Duty, Cesa or impost which the Central Government may hereafter declare to be payable by consumers of coal, but inclusive of all other cesses or imposts:
- (b) are exclusive of del credere agents' margin permissible under clause 6 of the Colliery Control Order, 1945;
- (c) do not apply to retail sales of less than one tonne (1,000 kilograms), on any one day for delivery by road; and
- (d) do not apply to overloaded weigh-bridge coal or coke;
- (ii) When delivery is free on rail, the weight charged for shall be the weigh tascertained at a railway weigh-bridge and when delivery is free on tramway or road vehicle the weight shall be ascertained in such manner as may be prescribed by the Coal Controller; and
- (iii) the expressions 'tonne', 'millimetre' and 'kilometre' shall have the meanings respectively assigned to them in notification No. S. O. 290 dated the 30th January, 1959 as subsequently amended by notification No. S. O. 1035 dated the 20th April, 1959 of the Government of India in the late Ministry of Commerce and Industry.

[No. C5-12(26)/66-I]

S. O. 2940.—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by Section 16 of the Essential Commodities Act, 1955 (10 of 1955) and in supersession of the notification of the Governmente India in the Ministry of Mines and Metals, No S. O. 1203, dated the 16th April, 1966, the Central Government hereby fixes the following prices at which coal or coke over-loaded at any weigh-bridge may be sold by colliery owners, namely:—

Description	Price pe tonne (1,000 kilograms)
	Rs. Paise
1. (a) All overloaded weigh-bridge coal or coke disposed of at any rilway weigh-bridge in West Bengaland Bihar other than at the Mahuda Weigh-bridge.  (b) All overloaded weigh-bridge coal or coke disposed of at the Mahuda weigh	22.04
bridge (c) Overloaded coal or coke of Bagrakote and East Babrakote collieries in	20.07
Darjeeling in West Bengal  2. All overloaded weigh-bridge coal or coke disposed of at any railway wiegh-bridge.	34 17
in the States of Madhya Pradesh, Orissa, Maharashtra and Gujarat.  3. All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge	24.28
in Assam  4. All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge	27:27
in the State of Andhra Pradesh	30.04

Explanation.—The expression Overloaded weigh-bridge ccal or cake naces all ccal, bye-product and bee-hive hard coke or soft coke which is taken off any loaded wagen and stacked at the railway weigh-bridge for the purpose of adjusting the weight of wagens according to permissible axle load.

Note.—The expression 'tonne'shall have the meaning assigned to it in notification No. S.O. 290 dated the 30th January 1959 of the Government of India in the late Ministry of Commerce and Industry,

[No. C5-12(26)/66-11] N. D. GUPTA, Jt. Secy.